

APPLICATION FOR BUILDING PERMIT

6489

Wanganui City Council

Date 30.05.18

F008801

THE CITY ENGINEER,

DEAR SIR

I hereby apply for a Building Permit to erect/demolish... REINSTATE FIRE ...
DAMAGE ...

according to site plan and detailed plans, elevation, cross sections and specifications of building deposited herewith in duplicate.

OWNER

Name H.E. HOOKER

Address 13 KAKA PL
WANGANUI.

Phone _____

BUILDER

Name JONES CONST (WANG) LTD

Mailing Address 40 MARIA PL.
 Ph. 55151

Plumber PALMER PLUMBING & HEATING

Mailing Address _____ Ph. _____

PROPERTY ON WHICH BUILDING IS TO BE ERECTED / DEMOLISHED.

SITE

Street No AS ABOVE

Street Name _____

Town / District _____

LEGAL DESCRIPTION

Valuation Roll No 23/723

Lot 51 D.P. 22328

Section _____ Block _____

Survey District _____

DESCRIPTION OF PROPOSED WORK AND MAIN PURPOSE OF USE

REINSTATE FIRE DAMAGE TO DWELLING.

FLOOR AREA DWELLING UNITS

Whole Sq. Meters Number Erected

NATURE OF PERMIT (TICK BOX)

NEW BUILDING
 -including dwelling added, exclude domestic garages

FOUNDATIONS ONLY

ALTER, REPAIRED, EXTENDED.
 -include conversions & resited buildings

NEW CONSTRUCTION

OTHER THAN BUILDINGS - include demolitions

DOMESTIC GARAGES
 & DOMESTIC OUTBUILDINGS - sheds, etc

ESTIMATED VALUES

Building	<u>24600 00</u>
\$ Plumb & Drain (Labour)	<u>300 00</u>
TOTAL	<u>24900 00</u>

FEES APPLICABLE

BUILDING PERMIT.....	\$ <u>135.00</u>	RCPT <u>010605</u>
PLUMBING PERMIT (N ^o 5990) \$	<u>46.00</u>	RCPT <u>010605</u>
DEVELOPMENT LEVY.....	\$ _____	RCPT _____
PREPAID CROSSING.....	\$ _____	P.W.R. _____
PREPAID SEWER CONNECTION... \$	_____	P.W.R. _____
PREPAID WATER CONNECTION... \$	_____	P.W.R. _____
STORMWATER CONNECTION.....	AT COST	P.W.R. _____
BUILDERS DEPOSIT.....	\$ <u>MSTR BLOSS</u>	RCPT _____
TOTAL COUNCIL FEES.....	<u>\$ 181.00</u>	
BUILDING RESEARCH.....	\$ <u>25.00</u>	RCPT <u>010605</u>
TOTAL FEES	<u>\$ 206.00</u>	

COMMERCIAL BUILDINGS

IF VALUED AT MORE THAN \$60,000

Estimated Commencing Date

" Completion "

Building Project Authority No.....

PRODOMINANT ACTIVITY OF OWNER:

.....

APPLICANTS SIGNATURE:

[Signature]

PERMIT MAY BE ISSUED SUBJECT TO THE FOLLOWING CONDITIONS:

WANGANUI CITY COUNCIL
CITY ENGINEERS DEPARTMENT

BUILDING PERMIT APPLICATION CHECK SHEET

Application for : REINSTATE FIRE DAMAGE

DATE 31/05/88

Address : 13 KAKA ST

Lot No DP

Sect

Notes : _____

DATE	DEPARTMENT		REMARKS
31/05	Town Planning	<p style="text-align: right;"><i>10/Jan 2-6-88</i></p> <p>Refer Attached Check Sheet _____</p> <p style="text-align: right;">Approved: <i>[Signature]</i> Date <u>31-5-88</u></p>	
31/05	Building Inspector	<p>Values on Application _____</p> <p>Ground Levels & Foundations _____</p> <p>Materials _____</p> <p>Construction _____</p> <p>Bracing (3604) _____</p> <p>Heating Appliances _____</p> <p>Public & Commercial Buildings _____</p> <p>Access for Handicapped _____</p> <p>Chapter 5 Egress etc (Check Sheet Yes/No) _____</p> <p style="text-align: right;">Approved <i>[Signature]</i> Date <u>1/6/88</u></p>	
	Drainage Engineer	<p>SS Connection & Fee _____</p> <p style="text-align: right;">Approved _____ Date _____</p> <p>SW Connection & Fee _____</p> <p style="text-align: right;">Approved _____ Date _____</p>	
	Water Engineer	<p>Water Connection & Fee _____</p> <p style="text-align: right;">Approved _____ Date _____</p>	
	Structural Engineer	<p>Structural Drawings & Calculations _____</p> <p style="text-align: right;">Approved _____ Date _____</p>	
01/06	Health Department	<p>Value _____</p> <p>Plumbing & Drainage Requirements _____</p> <p>SW Requirements _____</p> <p>General Requirements _____</p> <p>Health & Food Regulations etc _____</p> <p>Dangerous Goods Requirements _____</p> <p style="text-align: right;">Approved <i>[Signature]</i> Date <u>31/5/88</u></p>	

GENERAL REMARKS

TOWN PLANNING

BUILDING INSPECTOR

DRAINAGE ENGINEER

WATER ENGINEER

STRUCTURAL ENGINEER

HEALTH DEPARTMENT

SPECIFICATIONS FOR THE REINSTATEMENT OF FIRE DAMAGED DWELLING OWNED BY
MR H E HOOKER SITUATED AT 13 KAKA PLACE, WANGANUI

INTRODUCTORY NOTES FORMING PART OF SPECIFICATIONS

1. These specifications are to be read in conjunction with the floor plans attached. Reference to any item of work in either the plans or specifications will be read as being included in both plans and specifications whether or not this is the case.
2. The contract is to be carried out in accordance with this specification and/or the minimum requirements of the relevant New Zealand standard, whichever is the higher standard.

The materials to be used are to be of the same specification as existed prior to the fire.

The contract is to be executed in a sound and workman like manner and in such a way that the appearance of the finished work is consistent with the appearance of the pre-fire original in all respects, namely line, face, texture, colour and neatness of fixing method.

3. It is anticipated that the contractors tendering for this work will inspect the building and site and no additional allowances will be made to the successful tenderer during the course of reinstatement if requests for such allowance relate to omissions from the tender which are covered generally by the specifications and would be apparent on inspection. In the event of ambiguities or contradictions in the plans and/or specifications, the contractor/s must verify the item/s with the Loss Adjuster, Mr D R Brown of MBS Loss Adjusters (PN) Ltd before pricing that part of the work. Thereafter no consideration will be granted for any alleged misunderstanding of materials to be furnished or work to be done, it being understood that the lodgement of a tender carries with it:
 - (a) A full understanding of the project
 - (b) Agreement with the conditions therein
 - (c) An undertaking to execute and complete all work as specified therein and/or indicated or implied by any accompanying drawings.
4. The contractor or sub-contractor concerned shall inspect all preparatory work against which his work is to be placed and report any defects which would affect the satisfactory execution or permanence of his work, and he shall not proceed until all such preparatory work is satisfactory. Failure to report will be construed as acceptance of preparatory work.
5. If during the course of reinstatement any additional damage not covered by the specifications becomes apparent the assessors must be advised and an additional costing agreed to before the work to rectify such additional damage is put in hand.

Jones Construction Ltd.
40 Maria Place Extn.
Wanganui. Ph. (064) 55-1511

6. It is not anticipated that the successful tenderer will necessarily carry out the works in the same order that they have been specified. It will be up to the successful tenderer to carry out the work in the manner which he feels is most practicable taking into account the requirements of the specifications to protect undamaged parts of the building.
7. All debris and demolished materials are to be removed and carted from the site. On completion of the contract, the building and site shall be left clean and tidy and ready for immediate occupation.
8. The contractor should provide for all plant, equipment, materials and scaffolding as considered necessary to provide for the satisfactory completion of these works.
9. In respect of all paint and varnish work, all areas where new materials are not installed are to be cleaned, if necessary sprayed with quick lime or some other appropriate substance to kill the effects of smoke, and otherwise prepared to result in a good finish. It is essential that the finish whether it be matt or gloss be such as to match the existing situation other than in areas where the finish is particularly specified. In respect of all wallpaper work allow to strip existing wallpaper where necessary.
10. Contractors shall obtain all permits, pay all fees and supply all labour, plant and materials required to execute and complete the works.
11. All work and materials shall comply with the pertinent by-laws, regulations, rules, codes and ordinances of the relevant local authority or other relevant authority and in addition (a) materials shall be new and the best of their respective kinds and shall comply with the pertinent New Zealand Standards and (b) the works shall be executed in accordance with good current trade practises.
12. Wherever in these specifications the words 'supply', 'install' or 'fit' or similar words are used, it is intended that unless particularly specified, the above terms will in fact mean to supply and install the particular items referred to.
13. Where necessary, provision should be made for any additional materials and/or framing required to comply with metric measurements and any increase in costs resulting from this should be incorporated in the tender price.
14. The building and/or roofing contractor shall be responsible to take all necessary steps to protect the interior of the building from the inclement weather during the time that the roof is removed from the building and up until the re-roofing exercise is completed.

The contractor shall protect the adjoining rooms, building and property from contract related damage and shall make good any such damage at his own expense. NOTE this includes curbs, roads, services and the like.

15. All tenders are to indicate the GST content.
16. Tenders close at 4:00pm on Thursday 12 May 1988 and should be forwarded to the premises of MBS Loss Adjusters, P O Box 1256, Palmerston North.

SPECIFICATIONS

BUILDER

Roof Section

1. Remove all corrugated iron roofing including flashings, ridges and valleys as specified in Plan A.
2. Remove netting and building paper from same area as defined in Plan A.
3. Remove all timber roof structure in the area specified in Plan A, this includes the ridge boards, rafters, purlins, all diagonals and supporting timbers including the header tank support stand.

NOTE It is intended that the soffit area adjacent to the dining room and kitchen will remain in place and form part of the new structure. Consequently, where necessary damaged rafters can be cut at a point approximately 1 metre inside the exterior walls and the section from this point to the extreme edge of the soffit should remain in place. Removing the rafters in this manner will allow a sufficient overlap of new rafters which should extend alongside the undamaged section of the original rafter to a point beyond the top plate of the exterior wall and the new rafter should be securely fixed to the original by an approved method. Where necessary, steps should be taken to prop and support soffits during the course of reinstatement.

4. Remove all ceiling joists, hard backs and supporting timbers from the areas defined in Plan B.
5. Before installation of new materials, arrange for Painting Contractors to apply a substantial and visible coat of quick lime or some other appropriate substance to all smoke damaged timber work in the roof section and apply one coat of paint. This procedure will counteract the effects of smoke smell on smoke stained materials.
6. Install new ceiling joists, hard backs and supporting timbers where previously removed.
7. Install new roof framing timber including rafters, purlins, diagonals, timber supports, ridges and valleys where previously removed.
8. Install new soffit and fascia where previously removed to match existing situation.
9. Install new header tank support stand where previously removed.
10. Install new corrugated iron roof where previously removed as specified in Plan A.
11. Install new ridge cappings and flashings on roof to match existing situation.

Jones Construction Ltd.

40 Maria Place Extn.
Wanganui. Ph. (064) 55-151

Master Bedroom

1. Remove and replace all wall framing timbers between bathroom and master bedroom and between master bedroom and spare bedroom to match existing situation.
2. Scrape back all charred exterior wall framing and install new studs and support timbers alongside existing studs.

NOTE 1 It is intended that by installing the new exterior framing in this way that the exterior rough cast will not be disturbed in any way.

NOTE 2 Before installation of new materials arrange for Painting Contractors to apply a substantial and visible coat of quick lime or some other appropriate substance to all smoke damaged timberwork and apply one coat of paint. This procedure will counteract the effects of smoke smell on smoke stained materials.

NOTE 3 All new exterior framing must be securely fixed to the original framing by an approved method.

3. Remove and replace both windows complete and reglaze to match existing situation including window catches.
4. Remove and replace pinex ceiling and scotia to match existing situation.
5. Remove and replace all gibraltar board wall linings to match existing situation.
6. Remove and replace tongue and groove flooring and skirtings to match existing situation.
7. Remove and replace door, door frame, finishing timbers and hardware to match existing situation.

Bedroom 2

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace window on southern wall and reglaze to match existing situation including window catches.
3. Reglaze all other broken window panels and replace window catches to match existing situation.
4. Remove and replace all gibraltar board wall linings including wardrobe to match existing situation.
5. Remove and replace all fire damaged finishing timbers including architraves and skirtings where necessary to match existing situation.

6. Remove and replace wardrobe door track including wardrobe shelf to match existing situation.
7. Remove and replace bedroom door frame, finishing timbers and hardware complete to match existing situation.
8. Before installation of new materials arrange for Painting Contractors to apply a substantial and visible coat of quick lime or some other appropriate substance to all smoke damaged timberwork and apply one coat of paint. This procedure will counteract the effects of smoke smell on smoke stained materials.

Hall

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace all gibraltar board wall linings to match existing situation.
3. Remove and replace all finishing timbers including architraves, skirtings and the like to match existing situation.
4. Remove and replace front door complete including hardware and reglaze to match existing situation.
5. Remove and replace hall cupboard door and hardware to match existing situation.
6. Remove and replace hall shelf and coat rack to match existing situation.
7. Remove and replace fire damaged tongue and groove flooring only to match existing situation.
8. Before installation of new materials arrange for Painting Contractors to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timberwork and apply one coat of paint. This procedure will counteract the effects of smoke smell on smoke stained materials.

Bathroom

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace all ~~hardboard~~ wall linings to match existing situation.
GIB.
3. Remove and replace door, frame, hardware and finishing timbers complete to match existing situation.
4. Remove and replace bathroom cupboard unit including hardware to match existing situation.

5. Remove and replace towel rails to match existing situation.
6. Remove and replace vinyl flooring to match existing situation (p.c. sum of \$50 per metre inclusive of GST).
7. Before installation of new materials arrange for Painting Contractors to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timber framing. This procedure will counteract the effects of smoke smell on smoke stained materials.
8. Reglaze and replace window catches to match existing situation.

Toilet

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace all ~~hardboard~~ wall linings and finishing timbers to match existing situation. QIC.
3. Remove and replace door finishing timbers complete including hardware to match existing situation.
4. Before installation of new materials, arrange for Painting Contractors to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timber framing, this procedure will counteract the effects of smoke smell on smoke stained materials.
5. Reglaze and replace window catches to match existing situation.
6. Remove and replace vinyl flooring to match existing situation. (p.c. sum of \$50 per metre inclusive of GST).
7. Remove and replace plastic toilet seat to match existing situation.

Laundry

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace all hardboard wall linings including finishing timbers to match existing situation.
3. Remove and replace door finishing timbers complete including hardware to match existing situation.
4. Repair and reinstall wall cabinet to match existing situation.
5. Before installation of new materials, arrange for Painting Contractors to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timber framing, this procedure will counteract the effects of smoke smell on smoke stained materials.

6. Reglaze and replace window catches to match existing situation.
7. Remove and replace vinyl flooring to match existing situation (p.c. sum of \$50 per metre inclusive of GST).

Kitchen

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace door to hall including finishing timbers and hardware to match existing situation.
3. Before installation of new materials arrange for Painting Contractor to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timber framing. This procedure will counteract the effects of smoke smell on smoke stained materials.
4. Reglaze all broken windows and replace window catches to match existing situation.
5. Remove and replace all kitchen cupboard door and drawer handles as necessary to match existing situation.

Dining Room

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Before installation of new materials arrange for Painting Contractor to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timber framing. This procedure will counteract the effects of smoke smell on smoke stained materials.
3. Reglaze and replace window and door catches to match existing situation.

Lounge

1. Remove and replace pinex ceiling and scotia to match existing situation.
2. Remove and replace door finishing timbers complete including hardware to match existing situation.
3. Before installation of new materials arrange for Painting Contractors to apply a substantial and visible coat of quick lime wash or some other appropriate substance to all smoke damaged timber framing. This procedure will counteract the effects of smoke smell on smoke stained materials.
4. Reglaze all broken windows and replace window catches to match existing situation.

SOLID PLASTERER

1. Replaster exterior in those areas where rough cast was removed during the course of installing the new windows within the bedrooms. The work to be carried out in accordance with good trade practise.
2. Ensure that texture and appearance matches remaining sections.
3. Ensure that all joints are flush and finished neatly.

GIB STOPPER

1. Arrange to stop all areas where new gibralter board has been installed as referred to in Builder's specification. Work to be carried out in accordance with good trade practise.

PAINTING & DECORATING CONTRACTOR

Roof Section & Exterior

1. Arrange all quick lime washing and painting of smoke damaged timber as referred to in Builder's specification.
2. Quick lime wash applied to be visible coat. This application is to counteract the effects of smoke smell.
3. Prepare and paint corrugated iron roofing, specified in Plan A, ensuring that all areas are primed with galvanised primer preparatory to final painting.
4. Prepare and paint soffit and fascia throughout to match existing situation.
5. Clean down and touch up smoke affected areas of exterior rough cast on all walls as necessary to match existing situation.
6. Clean down and repaint chimney to match existing situation.
7. Prepare and paint all exterior joinery complete to match existing situation.

Interior

1. Prepare and paint all ceilings and scotia throughout to match existing situation.
2. Prepare and paint/varnish all window joinery complete, throughout, to match existing situation.
3. Prepare and varnish all doors, doorway joinery and finishing timbers throughout to match existing situation.

4. Prepare and paint all kitchen joinery including the interior of all cupboards which should be treated to counteract the effect of smoke staining and smell.
5. Clean, strip, prepare and paper all rooms excluding bathroom, toilet, laundry and kitchen allowing the following p.c. sums per roll of wallpaper;

Lounge	\$28.00
Dining Room	28.00
Hall	22.00
Bedrooms	22.00

6. Prepare and paint bathroom toilet, laundry and kitchen walls including all joinery and finishing timbers complete to match existing situation.

ELECTRICIAN

1. Replace all damaged wiring, hot points, light fittings, lights and all other electrical installations as necessary to return the dwelling to pre fire condition allowing for external relocation of the meterboard as required per current regulations.
2. Check and clean range restoring same to pre fire condition.

PLUMBER

1. Check all fire damaged pipes and plumbing installations and repair where necessary.
2. Remove and replace ceiling header tank and restore water system.
3. Renew lagging where necessary.
4. Replace all roof and chimney flashings where necessary.
5. Replace all roof valleys and ridges where necessary.
6. Ensure roof is made water tight upon completion.
7. Remove and replace all spouting throughout to match existing situation.
8. Supply and install new toilet seat to match existing situation.

CLEANING CONTRACTOR

1. Clean front terrace, front steps and back steps.
2. Clean all windows.
3. Clean hand basin, bath and all taps.

4. Clean toilet and laundry tub.
5. Clean kitchen sink bench and flooring tiles.

GENERAL REQUIREMENTS OF SPECIFICATION


- 1) Supply and install insulation batts throughout ceiling areas in accordance with current Building Codes.
2. It is a requirement of these specifications that following his appointment, the successful tenderer must make an immediate start on the reinstatement work.
3. Tenders close at the offices of MBS Loss Adjusters, P.O. Box 1256, Palmerston North at 4:00 pm on Thursday the 12 May 1988.

END OF SPECIFICATIONS

Jones Construction Ltd.

40 Maria Place Extn.
Wanganui. Ph. (064) 55-151

MR. H. E. HOOKER
13 KAKA PLACE
WANGANUI





APPROX SCALE 1:100

KAKA PLACE

PLAN A

MR H. G. HOOKER
13 KAMA PLACE
WIRANGAURI





APPROX SCALE 1:100

REMOVE AND REPLACE ENTIRE ROOF SECTION INCLUDING IRON
FLASHINGS RAFTERS PERLINS AND SUPPORT TIMBERS WITHIN
SHADED AREA ABOVE

PLAN B

MR H. E. HOOKER
13 KAKA PLACE
WANGANUI

Jones Construction Ltd.
40 Maria Place Extn.
Wanganui Ph: (064) 55-151



APPROX SCALE 1:100

REMOVE AND REPLACE ALL CEILING JOISTS AND SUPPORT
TIMBERS WITHIN SHADED AREA ABOVE

Inspector: M _____

File No. _____

Receipt No. **10605**

Date Permit Issued **13 / 6 / 88**

OWNER	
Name	H E HOOKER
Mailing Address	13 KAKA PLACE
	WANGANUI

BUILDER	
Name	JONES CONST (WANG) LTD
Mailing Address	40 MARIA PLACE
	WANGANUI

PROPERTY ON WHICH BUILDING IS TO BE ERECTED/DEMOLISHED

SITE	
Street No.	AS ABOVE
Street Name	
Town/District	
Riding	

LEGAL DESCRIPTION	
Valuation Roll No.	23/723
Lot	51
D.P.	22328
Section	
Block	
Survey District	

DESCRIPTION OF PROPOSED WORK AND MAIN PURPOSE OF USE

REINSTATE FIRE DAMAGE TO DWELLING

FLOOR AREA		DWELLING UNITS	
Whole Sq. Metres		Number Erected	

ESTIMATED VALUES	Building	24,600 00	
\$	Plumbing		
	Drainage	300	00
	G.S.T.		
	TOTAL	24,900	00

NATURE OF PERMIT (TICK BOX)	
<input type="checkbox"/>	NEW BUILDING - exclude domestic garages and domestic outbuildings
<input type="checkbox"/>	FOUNDATIONS ONLY
<input checked="" type="checkbox"/>	ALTERED, REPAIRED, EXTENDED, CONVERTED, RESITED - include installation of heating appliances
<input type="checkbox"/>	NEW CONSTRUCTION OTHER THAN BUILDINGS - include demolitions
<input type="checkbox"/>	DOMESTIC GARAGES AND DOMESTIC OUTBUILDINGS

FEES APPLICABLE

Building Permit	\$ 135	Water Connection	\$ _____
Street Damage Deposit	\$ MBS		\$ _____
Building Research Levy	\$ 25		\$ _____
Plumbing	\$ 46		\$ _____
Drainage	\$ _____		\$ _____
Sewer Connection	\$ _____		\$ _____
Vehicle Crossing Levy	\$ _____	G.S.T.	\$ _____
M.S. Plumbing	\$ _____	TOTAL:	\$ _____

Receipt No. _____

Date of Payment _____ / _____ / _____

Authorised Officer _____

DIRECTOR OF WORKS AND SERVICES

Special Conditions: _____


CHIEF BUILDING INSPECTOR

Date Inspected REMARKS (e.g. stage reached with work)

1/8/88	<i>Finishing</i>
17/10/88	<i>Complete</i>

WANGANUI CITY COUNCIL

BUILDERS DEPOSIT No 1066

Deposit No. 6489 Building Permit No. 8801

Depositor: Jones Construction

Address: 40 Maria Pl.

Owner: Hooper.

Lot 51 Sec. _____ D.P. 22328

Street: 13 Kaka Pl.

Description repair dwell

Date 14-6-88 Amount MBS.

Charges _____ Inv. No. _____

Refund _____ Veh. No. _____

Building Inspector [Signature]

Date 21-11-88

VALUATION ROLL No.

LEGAL DESCRIPTION

1323/723/XWNG

LOT 51 D.P. 22328

12135

13 KAKA PLACE

DRAINAGE & PLUMBING PERMITS

BUILDING PERMITS

Existing Use

Permit No.

Date

Permit No.

Date

Nature of Work

Designation

9598

18-12-59

DWG

86536

14-4-61

GARAGE

Zoning

5990

31.5.88

F008801

30.5.88

REINSTATE FIRE DAMAGE

Undersize Section

Building Line Restriction

Proposed Street

Proposed Service Lane

Proposed Access Way

Dangerous
Goods Licence

Fill Points

Housing File No.

Underground Tank

Type

Capacity
gals

Water Connection

Reg. No.

Amt. Paid.

Conditional Use

File:

Water Meter

Water Bore

Drainage Connection

Reg. No.

Amt. Pd.

Specified Departure

File:

Pool

Filtered

Unfiltered

Back Flow
PreventerStormwater
Connection

Reg. No.

Amt. Pd.

Dispensations

Reference

Date

Heating

Gas

Oil-fired

Coal-
Wood

Electric

Other

Kerb Crossing

Reg. No.

Amt. Pd.

ROSSO
12-1-98

Subdivision Conditions	Yes	—	Easements	See above	—
	No	—		None	—

SCALE: