Permit Issued

660

BUILDING APPLICATION FORM.

Gisborne, Sep 2nd 1912

To the Borough Engineer,
Gisborne

Sir,

I hereby apply for permission to erect Dwelling
in Derby street, Section 19 of 3A
for Mr J Stevenson of Gisborne
according to Plans and Specifications deposited herewith.

The estimated cost of such work is £ 700 :

Yours faithfully J Stevenson

Postal Address Derby St
Gisborne

Fees Payable in respect of above :

Building Fee 3 : 0 : 0
Deposit re Footpaths 2 : 0 : 0
Water Service : 2 : 6

Received Building Inspector.

PLAN OF PROPOSED RESIDENCE
DERBY ST FOR
MRS STEVENSON
SCALE 8 FEET TO 1 INCH



SECTION A.B.

Approved
R.D. Lloyd
2/9/17
Building Inspector



GROUND PLAN



FRONT ELEVATION

City of Gisborne

6/78

The City Engineer
Gisborne City Council
GISBORNE

PO Box 747
Fitzherbert Street
GISBORNE

APPLICATION FOR A BUILDING PERMIT

Sir,
I/We hereby apply for permission to: Erect new garage according to the site plan, elevations, detailed drawings, specifications and drainage plan, drawn to scale and deposited herewith in duplicate.

AT: 7 Derby St (House number and Street)

NAME OF OWNER: Est D.J. Ross PRESENT ADDRESS: above

PARTICULARS OF LAND: Lot 13 DP 1594 Block No.
Survey District Area 1012 m² Assessment No. 856/477

TYPE OF BUILDING: Accessory Area of Ground Floor: 36.56 m²

PURPOSE FOR WHICH BUILDING WILL BE USED: Domestic

NAME OF BUILDER: EMMS BUILDING CENTRE
ADDRESS OF BUILDER: 34 DISRAELI STREET PHONE 6600 GISBORNE
CERTIFICATE NUMBER:
REGISTERED DRAINLAYER:
SIGNATURE OF OWNER OR AUTHORISED AGENT:
DATE 30-10-79 PHONE NO. 6600

ESTIMATED VALUE	
BUILDING	2476-00
PLUMBING & DRAINAGE	
TOTAL	$2476-00

FOR OFFICE USE ONLY

CASHIER K Mullooly DATE 2/11/79
Building Receipt No. 313094
B.R.A.N.Z. Receipt No.
Building Fee 17.38
B.R.A.N.Z. levy
Footpath Deposit
TOTAL $ 17.38
Building File No. 660
Drainage File No. 965
Building Permit No. J024024
Received By: K Mullooly
Date: 2/11/79

BUILDING PERMIT PROGRAMME			
1 Bldg. Insp.		Date	
2 Rates Clerk	K Mullooly	Date	2/11/79
3 Town Planner	QR	Date	5.11.79.
Struc. Eng.		Date	
F.S. Officer		Date	
Health Insp.		Date	
D.C. Insp.		Date	
4 P & D Supvr.	EK	Date	5-11-79.
5 Bldg. Insp.	[illegible]	Date	5/11/79.
6. Issuing Clerk	RAC	Date	6/11/79.

REMARKS



SITE PLAN for PROPOSED GARAGE AT 7 DERBY ST. for Est. D.J. Ross.

CITY COUNCIL
J024025
660

CUSTOMBUILT GARAGES

P. O. BOX 2073. GISBORNE. PHONE 6600







Truss Design No 4652.

NOTE: Rafter and chord sizes are as set out below

SPAN OF TRUSS	RAFTER SIZE	CHORD SIZE
~~6.0 meters~~	~~150 x 50~~	~~200 x 50~~
~~5.4~~	~~150 x 50~~	~~150 x 50~~
4.8	150 x 50	150 x 50
~~4.2~~	~~100 x 50~~	~~150 x 50~~
~~3.6~~	~~100 x 50~~	~~150 x 50~~
~~3.0~~	~~100 x 50~~	~~100 x 50~~
~~2.4~~	~~100 x 50~~	~~100 x 50~~

Foundation: ~~200 x 150 concrete piles at 1200 and 600 centres under studs or continuous concrete foundation wall or~~ poured concrete floor.

Dampcourse: 2 ply malthoid under all plates.

Framing: All timber is Boric treated, dressed No 1 framing radiata. All framing is housed, i.e. studs checked into plates and noggs checked into studs. Studs are at 600mm centres. Wall braces are Pryde, cut into studs - one each bay with two in bays over 6.0 meters long. Doog beams 150 x 50. Dragon Ties 50 x 50 at 45° over top plates in each corner.

Roofing: .45mm corrugated galvanised iron, fitted with .45 galvanised lead edge ridging.

Sheathing: .45mm galvanised metal weatherboards.

Spouting: 125mm x .60mm galvanised iron fitted with 62mm D.P.

Doors: Overdoor to front with matching galvanised side door.

GARAGE, SHED at 7 DERBY ST. for EST D.J. Ross

City of Gisborne

August 1978

The City Engineer
GISBORNE CITY COUNCIL

P O Box 747
Fitzherbert Street
GISBORNE

APPLICATION FOR A CHIMNEY PERMIT

(Not required if included in building permit)

Sir,

I/We hereby apply for permission to install a ....TILE FIRE.....
according to the plans and specifications deposited herewith.

AT:....7 DERBY ST..... (House number and street)

NAME OF OWNER:....R OSS..... PRESENT ADDRESS:...7 DERBY ST.....

PARTICULARS OF LAND: Lot..13.. DP..1594. Section..... Block Number.....

Survey District..... Area...1012 m..... Assessment No....856/477.....

Particulars of Installation

(Strike out those not applicable)

Installation Type: Free standing heater - ~~Inbuilt heater~~
~~Fireplace heater~~ - ~~Under floor heater~~

Make and Model of Applicance: ....KENT..... Chimney Type: ...Metal SS.....

Type of Fuel: Solid/~~Oil~~

Grade of Oil:.....—.....

Oil Tank Capacity:.....—..... litres

NAME of Installer:.....RAY SMITH..... Is a wet back to be installed Yes/~~No~~

ADDRESS of Installer:..... If yes state:

CRAFTSMAN Plumber:...RAY SMITH.....

SIGNATURE of Applicant:...P. Ross..... ADDRESS:.....

DATE:..7/4/81..... PHONE:..88444.... ESTIMATED VALUE: $...800.....

FOR OFFICE USE ONLY

CASHIER:...J Markie.. DATE:..7/4/81

Receipt No:...341102.....

B.R.A.N.Z. Rec. No:.....

Permit Fee: $...9.00.....

B.R.A.N.Z. Levy: $.....

TOTAL $ 9.00

Building File No:.....660.....

Chimney Permit No:.....K015968.....

Received By:.....[signature].....

Date:.....7/4/81.....

	PERMIT PROGRAMME
1	Rates Clerk.....[signature]..... Date 7/4/81
	Bldg. Insp..... Date.....
	F.S. Officer..... Date.....
	P & D Insp..... Date.....
	DG Insp..... Date.....
	Struct Eng..... Date.....
2	Bldg. Insp..... [signature]..... Date 8/4/81
3	Issuing Clerk..... [signature]..... Date 8/4/81

REMARKS

Condition permit installation must comply with manufacturers' instructions. B.I. office to be ~~[illegible]~~ satisfied on completion.